

The Board of Fire Commissioners Fire District # 1 Borough of Englishtown, State of New Jersey, convened on Thursday February 3rd, 2022, in the Formal Meeting Room of the Englishtown Fire Department, 3 South Main St. Englishtown, New Jersey. Due to surging Covid-19 cases, the meeting was open to the public only through the Zoom Meeting App. This was in accordance with the Governor's Executive Order during the current active State of Emergency.

The meeting was called to order by Chairman Peter Cooke at 8:04 P.M.

1. Sunshine Statement by Board Attorney Joe Youssouf

Statement is hereby given that adequate notice of this meeting was given by:

1. The mailing of said notice to the Asbury Park Press.
2. The prominent posting of said notice at the Englishtown Fire Department.

Roll Call showed the following members in attendance:

Present: Chairman Peter Cooke, Clerk Victoria Sarti, Gerald Maresca and Tom Kirkland

Absent: - Melissa Scarrone - Excused

Legal: Everything will be ready for the upcoming district elections. G. Maresca will be picking up election materials.

January 2022 Minutes: A motion was made by P. Cooke and a Second was made by G. Maresca to table the minutes until next meeting.

Motion passed unanimously

January Financials: A motion was made by P. Cooke and a Second was made by V. Sarti to accept the Bills after corrections made.

Motion passed unanimously.

Auditor/Accountant:

- Federal taxes filed, preparing State taxes.
- Need 2022 Budget and Fire Protection Agreement

Chief's Report:

- See Attached Report

Purchase Requests:

- None

Public Open Portion:

- None

Executive Session: Executive Session called by Chairman P. Cook at 9:38pm. Executive Session ended at 9:44pm.

Meeting Adjournment: at 9:45PM. After a motion by V. Sarti and Seconded by P. Cooke and approved by a unanimous roll call vote.

Certified at the March 3rd, 2022, regularly scheduled meeting.

Victoria L. Sarti -- Board Clerk

FEBRUARY 2022 ENGINEERS REPORT

1287 service

4 air packs going to NJFE air leaks

1275 Foam lever # 2 disconnected blaze called to fix will fix at a later date.

New bracket placed on 1274 for stokes basket

1 air pack returned fixed

Mileage

1266 103352

1267 not available

1274 23076

1275 37177

1276 34717

1287 21771

1293 13835

1230 not available

ENGINEERS REPORT

THOMAS FRUEH

5:45 PM

02/03/22

Accrual Basis

Englishtown Fire District No. 1

Bill List

As of February 3, 2022

Type	Date	Num	Name	Split	Debit	Credit	Balance
Brunswick Bank Checking							
Check	02/03/2022	7054	American Cloud Service	Utilities		97.33	*****
Check	02/03/2022	7055	Jason Kole	Building		442.85	*****
Check	02/03/2022	7056	NetLink	Professional Services		199.00	*****
Check	02/03/2022	7057	Emergency services Marketing Cor...	Dues and Subscriptions		810.00	*****
Check	02/03/2022	7058	Safe-T EMS & Safety Training LLC	Training		3,600.00	*****
Check	02/03/2022	7059	New Jersey Emergency Vehicles	Trucks		1,185.00	*****
Check	02/03/2022	7060	Toshiba Business Solutions, USA	Office Supplies		621.57	*****
Check	02/03/2022	7061	Active 911, Inc	Dues and Subscriptions		112.00	*****
Check	02/03/2022	7062	Englishtown Fire Department	Contract - Volunteer Fir...		3,000.00	*****
Check	02/03/2022	7063	Boro of Englishtown	Utilities		194.00	*****
Check	02/03/2022	7064	Jersey Coast Fire Equipment	Building		357.50	*****
Check	02/03/2022	7065	Brian Stonaker	Office Supplies		58.00	*****
Check	02/03/2022	7066	Joseph D. Youssouf	Legal		11,039.00	*****
Check	02/03/2022	7067	Manalapan - Englishtown Board of ...	Fuel		1,092.03	*****
Check	02/03/2022	7068	Dell Marketing L.P.	Office Supplies		4,754.75	*****
Total Brunswick Bank Checking					0.00	27,563.03	*****
TOTAL					0.00	27,563.03	*****

*George
Christine*

\$1800 @ ~~car~~ class

*George Oct 13 @ 21 ICS 300 & 300 Class
5184.00 / 131.00 - 3 (training)*

~~*Stephen J. ...*~~

\$3000

ENGLISHTOWN FIRE DEPARTMENT



POST OFFICE BOX 1 - 3 SOUTH MAIN STREET - ENGLISHTOWN, NEW JERSEY 07726
732-446-4818 • FAX 732-446-8285

CHIEF'S ANNUAL REPORT

2022

The Englishtown Fire Department responded to a total of 331 (352) calls for service for the year 2021 for a total of 582.52 (555.50) Staff Hours. Of the 331 total calls, 116 calls were not answered (35%), 30 calls were answered short staffed (10%) and 185 calls were answered with a full staff (55%). Of the 70 calls in Englishtown Borough, 20 calls were not answered (36%), 12 calls were answered short staffed (23%) and 38 calls were answered with a full staff (41%).

Breakdown of the responses are as follows:

***Previous Year's Number**

12-1 Englishtown Borough – 70-75

16-1 Freehold Independent – 7-15

16-2 East Freehold – 1 – 0

15 Freehold Boro – 4 – 0

26-1 Gordon's Corner – 14-7

26-2 Manalapan #1 – 131-146

26-2P Manalapan #1/PRA – 69-80

32-1 Millstone – 26-28

23 Monroe – 0-1

28-1 Marlboro – 1 – 0

28-2 Robertsville – 5 – 0

82-1 Hope – 1 – 0

21-1 Keansburg – 1 – 0

TRAINING

Several Members participated in various training classes at the station and at the following Fire academies:

Monmouth Fire Academy

Middlesex Fire Academy

Camden Fire Academy

WORK DETAILS

The Department conducted 12 work details for the year.

MISCELLANEOUS

As Membership and Staffing continue to be issues, both locally and nationally, the Line Officers have been meeting with the Commissioners to properly cover the District.

I would like to thank the **dedicated Members** of this Department that have stepped up during the staffing issues and answered as many calls as possible. With limited active Members, I have seen the toll it has taken on you personally and I can not thank you enough for your dedication and efforts. You have gone above and beyond your duties with declining staffing and limited resources. I could not be prouder of you during these difficult times.

Respectfully Submitted,

Lou Sarti

Chief

Englishtown Fire Department

Englishtown, NJ

This report was generated on 1/2/2022 9:56:01 AM



Incident Count with Man-Hours per Zone for Date Range

Incident Type(s): All Incident Types | Start Date: 01/01/2021 | End Date: 12/31/2021

ZONE	INCIDENT COUNT	MAN-HOURS
13-12-1 - Englishtown fire department	70	149:05
13-15-1 - Freehold Fire Department	4	11:52
13-16-1 - Freehold Independent Fire Company	7	7:04
13-16-2 - East Freehold Fire Company	1	1:37
13-21 - Keansburg Fire Department	1	0:01
13-26-1 - Gordon's Corner Fire Company	14	66:35
13-26-2 - Manalapan Fire Company #1	131	138:29
13-26-2P - Manalapan Primary Response Area	69	146:20
13-28-1 - Marlboro Fire Company #1	1	5:22
13-28-2 - Robertsville Fire Company	5	23:10
13-32-1 - Millstone Fire Department	26	16:12
13-82-1 - Hope Fire Company	1	15:54
Ocean - Ocean County	1	1:12
TOTAL	331	582:52

NOTE that this report takes into consideration ONLY those Personnel that are associated with an Apparatus, and that only Reviewed incidents are included in the counts.



Englishtown Fire Department

Englishtown, NJ

This report was generated on 1/2/2022 9:55:15 AM



Response Percentage for Custom Question for Personnel for Incident Type for Date Range

Custom Question(s): Staffing Level | Personnel: Administrator, Englishtown Fire Dept | Incident Type(s): All Incident Types | Start Date: 01/01/2021 | End Date: 12/31/2021

ANSWERS	# INCIDENTS	% of Total
USER-DEFINED FIELD: Staffing Level (Required)		
No Response - Fire Call - Short Staffed (< 3 FF1)	56	17%
No Response - No Driver	1	0%
No Response - Short Staffed (< 3 FF1)	59	18%
Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)	15	5%
Responded - Short Staffed (< 3 FF1)	15	5%
Responded as normal	185	56%

Report is grouped by Questions, Users then Answers. Answers data is broken into Percentages of Users who answered Questions. Questions will only show on the report if they are in the Date Range and are Not Archived and Not Empty. Only Reviewed Incidents included.

Englishtown Fire Department

Englishtown, NJ

This report was generated on 1/2/2022 9:59:54 AM



Incident Custom Question Answer Summary by Incident Type for Date Range with Custom Questions

Custom Question(s): Staffing Level | Incident Status(s): All Incident Statuses | Zone(s): 13-12-1 - Englishtown fire department | Incident Type(s): All Incident Types | Start Date: 01/01/2021 | End Date: 12/31/2021

Incident Date	Incident #	Address	Zone	Custom Questions
03/10/2021	2021-44	13 LASATA AVE ENGLISHTOWN, NJ 07726	Englishtown	Staffing Level: Responded - Short Staffed (< 3 FF1)
07/14/2021	2021-152	30 PARK AVE ENGLISHTOWN, NJ 07726	Englishtown	Staffing Level: Responded as Normal
08/08/2021	2021-184	44 CARRIAGE LN ENGLISHTOWN, NJ 07726	Englishtown	Staffing Level: Responded as Normal
113 - Cooking fire, confined to container				
01/17/2021	2021-12	5 GORDONS CORNER RD ENGLISHTOWN, NJ 07726	Englishtown	Staffing Level: Responded as normal
01/25/2021	2021-17	12 DEY ST ENGLISHTOWN, NJ 07726	Englishtown	Staffing Level: No Response - Short Staffed (< 3 FF1)
06/25/2021	2021-139	66 CARRIAGE LN ENGLISHTOWN, NJ 07726	Englishtown	Staffing Level: No Response - Short Staffed (< 3 FF1)
10/17/2021	2021-253	14 WILSON AVE ENGLISHTOWN, NJ 07726	Englishtown	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)
11/18/2021	2021-287	600 PARK AVE MANALAPAN, NJ 07726	Englishtown	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)
114 - Chimney or flue fire, confined to chimney or flue				
03/23/2021	2021-57	10 WOODRUFF CT ENGLISHTOWN, NJ 07726	Englishtown	Staffing Level: Responded - Short Staffed (< 3 FF1)
131 - Passenger vehicle fire				
04/15/2021	2021-79	2 GORDONS CORNER RD ENGLISHTOWN, NJ 07726	Englishtown	Staffing Level: Responded as normal
08/03/2021	2021-175	4 GORDONS CORNER RD ENGLISHTOWN, NJ 07726	Englishtown	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)
132 - Road freight or transport vehicle fire				
09/09/2021	2021-222	MAIN ST ENGLISHTOWN, NJ 07726	Englishtown	Staffing Level: Responded as Normal

Report is grouped by Incident Type and sorted by Incident Date, Incident Number. Summary of answered questions at the end of the report. Incidents will only show on report if custom questions have been answered.

Report is grouped by Incident Type and sorted by Incident Date, Incident Number. Summary of answered questions at the end of the report. Incidents will only show on report if custom questions have been answered.

160 - Special outside fire, other			
11/24/2021	2021-292	815 STAMFORD SQ ENGLISHTOWN, NJ 07726	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only)
12/23/2021	2021-320	4 WATER ST ENGLISHTOWN, NJ 07726	Staffing Level: Responded as Normal
311 - Medical assist, assist EMS crew			
02/28/2021	2021-36	26 Tennent AVE ENGLISHTOWN, NJ 07726	Staffing Level: Responded as normal
08/07/2021	2021-180	6 VICTORY DR ENGLISHTOWN, NJ 07726	Staffing Level: Responded as Normal
09/28/2021	2021-241	62 MAIN ST ENGLISHTOWN, NJ 07726	Staffing Level: Responded as Normal
10/26/2021	2021-264	203 Stamford Square Englishtown, NJ 07726	Staffing Level: Responded as Normal
322 - Motor vehicle accident with injuries			
01/27/2021	2021-19	31 MAIN ST ENGLISHTOWN, NJ 07726	Staffing Level: No Response - Short Staffed (< 3 FF1)
04/26/2021	2021-87	MAIN ST ENGLISHTOWN, NJ 07726	Staffing Level: Responded - Short Staffed (< 3 FF1)
06/27/2021	2021-140	HOSPITALITY WAY ENGLISHTOWN, NJ 07726	Staffing Level: Responded - Short Staffed (< 3 FF1)
07/01/2021	2021-142	30 MAIN ST ENGLISHTOWN, NJ 07726	Staffing Level: Responded as Normal
400 - Hazardous condition, other			
06/06/2021	2021-126	1 WILSON AVE ENGLISHTOWN, NJ 07726	Staffing Level: No Response - Short Staffed (< 3 FF1)
412 - Gas leak (natural gas or LPG)			
05/11/2021	2021-107	17 PARK AVE 2 ENGLISHTOWN, NJ 07726	Staffing Level: Responded as normal
10/11/2021	2021-248	41 MAIN ST ENGLISHTOWN, NJ 07726	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)
422 - Chemical spill or leak			
04/14/2021	2021-76	1 WILSON AVE ENGLISHTOWN, NJ 07726	Staffing Level: Responded as normal
442 - Overheated motor			
08/07/2021	2021-181	66 MAIN ST ENGLISHTOWN, NJ 07726	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only)
443 - Breakdown of light ballast			

Report is grouped by Incident Type and sorted by Incident Date, Incident Number. Summary of answered questions at the end of the report. Incidents will only show on report if custom questions have been answered.

09/20/2021	2021-230	50 MAIN ST ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: Responded as Normal
444 - Power line down				
01/27/2021	2021-20	16 LASATTA AVE ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: No Response - Short Staffed (< 3 FF1)
01/29/2021	2021-23	18 MAIN ST ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: No Response - Short Staffed (< 3 FF1)
03/28/2021	2021-65	20 TENNENT AVE ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: Responded - Short Staffed (< 3 FF1)
05/26/2021	2021-122	12 MAIN ST ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: No Response - Short Staffed (< 3 FF1)
08/30/2021	2021-207	14 HARRISON AVE ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)
09/07/2021	2021-218	HAMILTON ST ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: Responded as Normal
09/24/2021	2021-235	41 MAIN ST ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: Responded as Normal
11/13/2021	2021-284	21 MAIN ST ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)
445 - Arcing, shorted electrical equipment				
05/15/2021	2021-114	46 OXFORD CT ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: Responded as normal
520 - Water problem, other				
09/02/2021	2021-210	79 MAIN ST ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: Responded as Normal
571 - Cover assignment, standby, moveup				
02/11/2021	2021-29	3 S MAIN ST ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: Responded as normal
07/14/2021	2021-153	3 S MAIN ST ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: Responded as Normal
600 - Good intent call, other				
04/03/2021	2021-70	13 HERITAGE DR ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: No Response - Short Staffed (< 3 FF1)
05/21/2021	2021-119	TENNENT RD MANALAPAN, NJ 07726	Englishstown fire department	Staffing Level: Responded as normal
09/06/2021	2021-215	47 LASATTA AVE B ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: Responded as Normal
09/29/2021	2021-242	14 NORTHGATE DR ENGLISHTOWN, NJ 07726	Englishstown fire department	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)

611 - Dispatched & cancelled en route	10/11/2021	2021-249	19 PARK AVE ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal
651 - Smoke scare, odor of smoke					
11/01/2021	2021-274	W DEY ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal	
730 - System malfunction, other					
11/14/2021	2021-285	28 HARRISON AVE ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal	
731 - Sprinkler activation due to malfunction					
12/05/2021	2021-298	28 HARRISON AVE ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)	
733 - Smoke detector activation due to malfunction					
07/29/2021	2021-168	21 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal	
07/29/2021	2021-171	21 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)	
08/23/2021	2021-200	24 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal	
735 - Alarm system sounded due to malfunction					
07/20/2021	2021-161	28 HARRISON AVE ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)	
07/31/2021	2021-172	21 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal	
08/10/2021	2021-188	21 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal	
08/10/2021	2021-189	21 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal	
08/10/2021	2021-190	21 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal	
12/29/2021	2021-331	77 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal	
736 - CO detector activation due to malfunction					
07/07/2021	2021-146	46 TENNENT AVE ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)	
08/29/2021	2021-206	20 TENNENT AVE ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)	
743 - Smoke detector activation, no fire - unintentional					

Report is grouped by Incident Type and sorted by Incident Date, Incident Number. Summary of answered questions at the end of the report. Incidents will only show on report if custom questions have been answered.



Report is grouped by Incident Type and sorted by Incident Date, Incident Number. Summary of answered questions at the end of the report. Incidents will only show on report if custom questions have been answered.

Incident Date	Incident Number	Incident Description	Staffing Level
03/26/2021	2021-62	8 MATLOSZ CT ENGLISHTOWN, NJ 07226	Staffing Level: No Response - Short Staffed (< 3 FF1)
12/06/2021	2021-302	77 MAIN ST ENGLISHTOWN, NJ 07226	Staffing Level: Responded as Normal
745 - Alarm system activation, no fire - unintentional			
03/04/2021	2021-39	49 LASATTA AVE ENGLISHTOWN, NJ 07226	Staffing Level: No Response - Short Staffed (< 3 FF1)
05/19/2021	2021-118	700 LASATTA ENGLISHTOWN, NJ 07226	Staffing Level: No Response - Short Staffed (< 3 FF1)
07/28/2021	2021-165	14 WILSON AVE 1 ENGLISHTOWN, NJ 07226	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)
11/13/2021	2021-283	28 HARRISON AVE ENGLISHTOWN, NJ 07226	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)
746 - Carbon monoxide detector activation, no CO			
03/28/2021	2021-64	12 VICTORY DR ENGLISHTOWN, NJ 07226	Staffing Level: Responded as normal
05/15/2021	2021-113	107 HARMONY LN ENGLISHTOWN, NJ 07226	Staffing Level: Responded as normal
08/23/2021	2021-198	52 CARRIAGE LN ENGLISHTOWN, NJ 07226	Staffing Level: Responded as Normal
11/12/2021	2021-281	43 CARRIAGE LN ENGLISHTOWN, NJ 07226	Staffing Level: Responded as Normal
900 - Special type of incident, other			
05/15/2021	2021-115	62 OXFORD CT ENGLISHTOWN, NJ 07226	Staffing Level: Responded as normal
Staffing Level			
		No Response - Fire Call - Short Staffed (< 3 FF1)	9
		No Response - Short Staffed (< 3 FF1)	11
		Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)	7
		Responded - Short Staffed (< 3 FF1)	5
		Responded as normal	38

Englishtown Fire Department

Englishtown, NJ

This report was generated on 2/3/2022 6:49:54 PM



Incident Count with Man-Hours per Zone for Date Range

Incident Type(s): All Incident Types | Start Date: 12/01/2021 | End Date: 12/31/2021

ZONE	INCIDENT COUNT	MAN-HOURS
13-12-1 - Englishtown fire department	4	5:18
13-26-2 - Manalapan Fire Company #1	22	23:38
13-26-2P - Manalapan Primary Response Area	9	20:44
13-32-1 - Millstone Fire Department	2	0:52

TOTAL 37

50:32

NOTE: that this report takes into consideration ONLY those Personnel that are associated with an Apparatus, and that only Reviewed incidents are included in the counts.



Englishtown Fire Department

Englishtown, NJ

This report was generated on 2/3/2022 6:46:18 PM



Response Percentage for Custom Question for Personnel for Incident Type for Date Range

Custom Question(s): Staffing Level | Personnel: Administrator, Englishtown Fire Dept | Incident Type(s): All Incident Types | Start Date: 12/01/2021 | End Date: 12/31/2021

ANSWERS	# INCIDENTS	% of Total
USER-DEFINED FIELD: Staffing Level (Required)		
No Response - Fire Call - Short Staffed (< 3 FF1)	5	14%
Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)	2	5%
Responded as Normal	30	81%

Report is grouped by Questions, Users then Answers. Answers data is broken into Percentages of Users who answered Questions. Questions will only show on the report if they are in the Date Range and are Not Archived and Not Empty. Only Reviewed Incidents included.

Englishtown Fire Department

Englishtown, NJ

This report was generated on 2/3/2022 6:48:43 PM



Incident Custom Question Answer Summary by Incident Type for Zone for Date Range with Custom Questions

Custom Question(s): Staffing Level | Incident Status(s): All Incident Statuses | Zone(s): All Zones | Incident Type(s): All Incident Types | Start Date: 12/01/2021 | End Date: 12/31/2021

Incident Date	Incident #	Address	Zone	Custom Questions
111 - Building fire				
12/24/2021	2021-321	85 TRACY STATION RD MANALAPAN, NJ 07726	Manalapan Primary Response Area	Staffing Level: Responded as Normal
142M - Mulch fire				
12/16/2021	2021-314	62 OAKLAND MILLS RD MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
160 - Special outside fire, other				
12/23/2021	2021-320	4 WATER ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal
322 - Motor vehicle accident with injuries				
12/01/2021	2021-297	GRAVEL HILL RD MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
12/28/2021	2021-329	270 MONMOUTH RD MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
324 - Motor vehicle accident with no injuries.				
12/14/2021	2021-311	104 MILLHURST RD MANALAPAN, NJ 07726	Manalapan Primary Response Area	Staffing Level: Responded as Normal
412 - Gas leak (natural gas or LPG)				
12/17/2021	2021-318	30 SILVER CHARM RD MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
442 - Overheated motor				

Report is grouped by Incident Type and sorted by Incident Date, Incident Number. Summary of answered questions at the end of the report. Incidents will only show on report if custom questions have been answered.



12/01/2021	2021-296	58 OAKLAND MILLS RD MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
444 - Power line down				
12/17/2021	2021-319	60 IRON ORE RD MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
611 - Dispatched & cancelled en route				
12/15/2021	2021-313	667 State Route 33 E MILLSTONE, NJ 07726	Millstone Fire Department	Staffing Level: Responded as Normal
12/28/2021	2021-325	9 RANDALL DR MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
12/28/2021	2021-326	9 RANDALL DR MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
12/28/2021	2021-327	9 RANDALL DR MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
12/28/2021	2021-328	MONMOUTH RD MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
631 - Authorized controlled burning				
12/05/2021	2021-300	90 WILSON AVE MANALAPAN, NJ 07726	Manalapan Primary Response Area	Staffing Level: Responded as Normal
651 - Smoke scare, odor of smoke				
12/10/2021	2021-307	403 ST ANDREWS PL MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
700 - False alarm or false call, other				
12/05/2021	2021-299	524 State Route 33 MILLSTONE, NJ 08535	Millstone Fire Department	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)
731 - Sprinkler activation due to malfunction				
12/05/2021	2021-298	28 HARRISON AVE ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)
733 - Smoke detector activation due to malfunction				

Report is grouped by Incident Type and sorted by Incident Date, Incident Number. Summary of answered questions at the end of the report. Incidents will only show on report if custom questions have been answered.



12/11/2021	2021-309	201 FINCH CT MANALAPAN, NJ 07726	Manalapan Primary Response Area	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)
735 - Alarm system sounded due to malfunction				
12/08/2021	2021-303	155 MILLHURST RD MANALAPAN, NJ 07726	Manalapan Primary Response Area	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)
12/14/2021	2021-310	155 MILLHURST RD MANALAPAN, NJ 07726	Manalapan Primary Response Area	Staffing Level: Responded as Normal
12/16/2021	2021-315	120 PARK AVE MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
12/17/2021	2021-316	155 MILLHURST RD MANALAPAN, NJ 07726	Manalapan Primary Response Area	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)
12/28/2021	2021-324	9 RANDALL DR MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
12/29/2021	2021-331	77 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal
736 - CO detector activation due to malfunction				
12/08/2021	2021-305	3 PARKVIEW WAY MANALAPAN, NJ 07726	Manalapan Primary Response Area	Staffing Level: Responded as Normal
743 - Smoke detector activation, no fire - unintentional				
12/06/2021	2021-302	77 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal
12/10/2021	2021-308	4 OLD CIDER MILL RD MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
12/17/2021	2021-317	158 GRAVEL HILL RD Manalapan (Township of), NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal

Report is grouped by Incident Type and sorted by Incident Date, Incident Number. Summary of answered questions at the end of the report. Incidents will only show on report if custom questions have been answered.



12/27/2021	2021-323	203 ENGLISHTOWN FREEHOLD RD MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
12/29/2021	2021-330	9 APPALOOSA DR MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
745 - Alarm system activation, no fire - unintentional				
12/06/2021	2021-301	2 DELANEY CT MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
12/08/2021	2021-304	289 State Route 33 MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)
12/09/2021	2021-306	550 PARK AVE MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
12/14/2021	2021-312	199 WOODWARD RD MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
12/24/2021	2021-322	17 SWEETMANS LN MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)
12/30/2021	2021-332	10 STATION ST MANALAPAN, NJ 07726	Manalapan Primary Response Area	Staffing Level: Responded as Normal

Staffing Level	
No Response - Fire Call - Short Staffed (< 3 FF1)	5
Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)	2
Responded as Normal	30

Report is grouped by Incident Type and sorted by Incident Date, Incident Number. Summary of answered questions at the end of the report. Incidents will only show on report if custom questions have been answered.

Englishtown Fire Department

Englishtown, NJ

This report was generated on 2/3/2022 6:47:47 PM



Incident Custom Question Answer Summary by Incident Type for Zone for Date Range with Custom Questions

Custom Question(s): Staffing Level | Incident Status(s): All Incident Statuses | Zone(s): 13-12-1 - Englishtown fire department | Incident Type(s): All Incident Types | Start Date: 12/01/2021 | End Date: 12/31/2021

Incident Date	Incident #	Address	Zone	Custom Questions
160 - Special outside fire, other				
12/23/2021	2021-320	4 WATER ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal
731 - Sprinkler activation due to malfunction				
12/05/2021	2021-298	28 HARRISON AVE ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)
735 - Alarm system sounded due to malfunction				
12/29/2021	2021-331	77 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal
743 - Smoke detector activation, no fire - unintentional				
12/06/2021	2021-302	77 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal
Staffing Level				
Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)				1
Responded as Normal				3

Report is grouped by Incident Type and sorted by Incident Date, Incident Number. Summary of answered questions at the end of the report. Incidents will only show on report if custom questions have been answered.

