

**The Board of Fire Commissioners Fire District 1, Borough of Englishtown, State of New Jersey convened on Thursday August 3, 2023, in the formal meeting room of the Englishtown Fire Department, 3 South main St, Englishtown, NJ.**

The meeting was called to order by Chairman P. Cooke at 8:02 P.M.

1. The Sunshine Statement was read by Council J. Youssouf.

**Statement is hereby given that adequate notice of this meeting was given by:**

1. The mailing of said notice to the Asbury Park Press.
2. The prominent posting of said notice at the Englishtown Fire Department.

**Rollcall showed the following Board members in attendance:**

Present: G. Maresca, M. Scarrone, P. Cooke, B. Stonaker & T. Kirkland

**Minutes:** Minutes for the July 6<sup>th</sup> meeting were motioned by P. Cooke and seconded by B. Stonaker. The motion was approved by a rollcall vote.

**Ayes:** P. Cooke, M. Scarrone, B. Stonaker, G. Maresca & T. Kirkland

Minutes of the July 6<sup>th</sup> executive session were motioned by P. Cooke and seconded by B. Stonaker. The motion was passed by a rollcall vote.

**Ayes:** G. Maresca, M. Scarrone, B. Stonaker, T. Kirkland and P. Cooke

**Financial:** A motion was made by P. Cooke and seconded by B. Stonaker to accept the bill list in an amount of \$14,188.24. The motion was approved by a rollcall vote.

**Ayes:** G. Maresca, M. Scarrone, B. Stonaker, P. Cooke & T. Kirkland

Motion was made by P. Cooke and seconded by G. Maresca to amend the bill list to include Monmouth County Board of Elections in the amount of \$142.04, for a corrected total of \$14,330.28. The motion was approved by a rollcall vote.

**Ayes:** G. Maresca, M. Scarrone, B. Stonaker, T. Kirkland and P. Cooke

**Insurance:** Nothing to report

**Legal:** Nothing to report

**Audit/Book keeper:** No report

**Chief's Report:** copy of submitted report attached.

**President's Report:** E. Miller reported the fire department has reached out to Manalapan DPW regarding trimming of trees, and is awaiting to hear back on scheduling.

**Fire Bureau:** No formal report. E. Miller advised he has sent correspondence to NJ Division of Fire Safety advising of his retirement as Fire Official.

**District Engineer's Report:** copy of submitted report attached.

**Membership:** No new applicants, 1 member is expected to resign.

**Purchases:** Chief Sarti presented the following items for request:

4 sets of PPE turnout gear from Municipal Equipment Sales in a total amount of \$17,560.00. This quote is state bid.

All purchases were approved unanimously.

**LOSAP:** Nothing to report.

**Old Business:** Nothing to report.

**Correspondence:** None

**Open to the Public:** L. Sarti asked the Board if there have been any meetings of the shared services sub-committee with Manalapan Fire District 2. P. Cooke advised there has not been any discussion yet, as the Board was focusing on the hiring process of a new Fire Official. But would be looking to schedule a meeting date soon.

**Executive:** A motion was made to enter Executive Session at 8:18 P.M. by P. Cooke and seconded by B. Stonaker

Motion was made to exit Executive Session at 8:29 P.M. by P. Cooke and seconded by M. Scarrone.

**New Business: Resolution 2023**

Resolution of the Board of Fire Commissioners Fire District 1 Borough of Englishtown appointing Kenneth Marr as Fire Official. Motioned by P. Cooke and seconded by B. Stonaker. Motion was passed by a rollcall vote.

**Ayes:** G. Maresca, M. Scarrone, B. Stonaker, T. Kirkland and P. Cooke

**Meeting Adjourn:** at 8:30 P.M. Motioned by P. Cooke and seconded by B. Stonaker and approved by a rollcall vote.

Certified at the September 7, 2023 meeting:



7:27 PM

# Englishtown Fire District No. 1

## Bill List

08/03/23

As of August 3, 2023

Accrual Basis

Type	Date	Num	Name	Split	Debit	Credit	Balance
<b>Brunswick Bank Checking</b>							*****
Check	07/18/2023	7392	tsi incorporated	Trucks		1,200.00	*****
Check	08/03/2023	7393	Englishtown Fire Department	Contract - Volunteer Fir...		3,000.00	*****
Check	08/03/2023	7394	NetLink	Professional Services		199.00	*****
Check	08/03/2023	7395	American Cloud Service	Utilities		97.33	*****
Check	08/03/2023	7396	Continental Fire and Safety	Fire Fighting Equipment		1,012.50	*****
Check	08/03/2023	7397	Verizon Wireless	Utilities		311.34	*****
Check	08/03/2023	7398	Safety and Survival Training	Training		2,500.00	*****
Check	08/03/2023	7399	NJ Natural Gas	Utilities		478.46	*****
Check	08/03/2023	7400	Borough of Englishtown - Water S...	Utilities		194.00	*****
Check	08/03/2023	7401	Manalapan - Englishtown Board of ...	Fuel		657.20	*****
Check	08/03/2023	7402	Jersey Central Power & Light	Utilities		2,059.02	*****
Check	08/03/2023	7403	Motorola Solutions Inc.	Fire Fighting Equipment		814.00	*****
Check	08/03/2023	7404	Englishtown Automotive	Trucks		164.20	*****
Check	08/03/2023	7405	Optimum	Utilities		107.49	*****
Check	08/03/2023	7406	Jason Kole	Office Supplies		1,076.91	*****
Check	08/03/2023	7407	Somerset CountyEmergencyServic...	Training		175.00	*****
Check	08/03/2023	7408	Pantano	Trucks		139.79	*****
Total Brunswick Bank Checking					0.00	14,188.24	*****
<b>TOTAL</b>					<b>0.00</b>	<b>14,188.24</b>	<b>*****</b>

*Mon Cts Clerk Elections*

*142.04*

*14330.28*

## Englishtown Fire District No. 1

## 2023 BUDGET

January 1 through August 3, 2023

	Jan 1 - Aug 3, 23	Budget	\$ Over Budget
<b>Income</b>			
Fund Balance Anticipated	0.00	94,853.00	-94,853.00
Fire District Taxes	0.00	524,000.00	-524,000.00
Miscellaneous	-5.00	0.00	-5.00
<b>Uniform Fire Safety Act</b>			
Fines and Penalties	0.00	18,000.00	-18,000.00
Smoke Detector Fees	2,818.75	0.00	2,818.75
State Registration Fees	1,749.75	0.00	1,749.75
<b>Total Uniform Fire Safety Act</b>	<b>4,568.50</b>	<b>18,000.00</b>	<b>-13,431.50</b>
Supplemental Fire Services	0.00	444.00	-444.00
<b>Total Income</b>	<b>4,563.50</b>	<b>637,297.00</b>	<b>-632,733.50</b>
<b>Gross Profit</b>	<b>4,563.50</b>	<b>637,297.00</b>	<b>-632,733.50</b>
<b>Expense</b>			
2022 Expenses	4,406.00	0.00	4,406.00
Monmouth County Dispatch Fees	0.00	10,000.00	-10,000.00
Professional Services-Physicals	938.00	5,000.00	-4,062.00
2016 Expense	4,317.24	0.00	4,317.24
<b>Administration</b>			
Salaries and Wages	14,119.78	37,750.00	-23,630.22
<b>Total Administration</b>	<b>14,119.78</b>	<b>37,750.00</b>	<b>-23,630.22</b>
Employee Benefits	3,227.34	3,300.00	-72.66
Advertising	155.16	1,500.00	-1,344.84
Contract - Volunteer Fire Co	24,000.00	36,000.00	-12,000.00
Dues and Subscriptions	4,974.79	5,000.00	-25.21
Elections	481.50	2,500.00	-2,018.50
Fire Fighting Equipment	3,385.83	35,000.00	-31,614.17
Fuel	5,365.36	15,000.00	-9,634.64
Insurance Premiums	58,912.00	90,000.00	-31,088.00
Legal	5,561.40	0.00	5,561.40
<b>Maintenance and Repairs</b>			
Building	10,239.78	0.00	10,239.78
Trucks	20,998.05	0.00	20,998.05
Maintenance and Repairs - Other	0.00	70,000.00	-70,000.00
<b>Total Maintenance and Repairs</b>	<b>31,237.83</b>	<b>70,000.00</b>	<b>-38,762.17</b>
Office Supplies	8,052.15	8,000.00	52.15
Payroll Expenses	2,145.81	0.00	2,145.81
Personal Protective Equipment	5,410.49	25,000.00	-19,589.51
<b>Professional Services</b>			
Other Professional	0.00	40,000.00	-40,000.00
Professional Services - Other	1,592.00	0.00	1,592.00
<b>Total Professional Services</b>	<b>1,592.00</b>	<b>40,000.00</b>	<b>-38,408.00</b>
Promotion	0.00	1,000.00	-1,000.00
Training	6,010.00	20,000.00	-13,990.00
Uncategorized Expenses	90.00	0.00	90.00
Utilities	27,013.98	45,000.00	-17,986.02
UFSA Salaries and Wages	0.00	36,000.00	-36,000.00
UFSA Fringe Benefits	0.00	3,000.00	-3,000.00
UFSA Other Expenses	0.00	5,000.00	-5,000.00
Length of Service Awards	0.00	35,000.00	-35,000.00
Reserve for future outlay	0.00	75,000.00	-75,000.00
Radio Lease Purchase Principal	0.00	30,756.00	-30,756.00
Radio Lease Interest	0.00	2,491.00	-2,491.00
<b>Total Expense</b>	<b>211,396.66</b>	<b>637,297.00</b>	<b>-425,900.34</b>
<b>Net Income</b>	<b>-206,833.16</b>	<b>0.00</b>	<b>-206,833.16</b>

## 2023 BUDGET

January 1 through August 3, 2023

	% of Budget
<b>Income</b>	
Fund Balance Anticipated	0.0%
Fire District Taxes	0.0%
Miscellaneous	100.0%
<b>Uniform Fire Safety Act</b>	
Fines and Penalties	0.0%
Smoke Detector Fees	100.0%
State Registration Fees	100.0%
<b>Total Uniform Fire Safety Act</b>	25.4%
Supplemental Fire Services	0.0%
<b>Total Income</b>	0.7%
<b>Gross Profit</b>	0.7%
<b>Expense</b>	
2022 Expenses	100.0%
Monmouth County Dispatch Fees	0.0%
Professional Services-Physicals	18.8%
2016 Expense	100.0%
<b>Administration</b>	
Salaries and Wages	37.4%
<b>Total Administration</b>	37.4%
Employee Benefits	97.8%
Advertising	10.3%
Contract - Volunteer Fire Co	66.7%
Dues and Subscriptions	99.5%
Elections	19.3%
Fire Fighting Equipment	9.7%
Fuel	35.8%
Insurance Premiums	65.5%
Legal	100.0%
<b>Maintenance and Repairs</b>	
Building	100.0%
Trucks	100.0%
Maintenance and Repairs - Other	0.0%
<b>Total Maintenance and Repairs</b>	44.6%
Office Supplies	100.7%
Payroll Expenses	100.0%
Personal Protective Equipment	21.6%
<b>Professional Services</b>	
Other Professional	0.0%
Professional Services - Other	100.0%
<b>Total Professional Services</b>	4.0%
Promotion	0.0%
Training	30.1%
Uncategorized Expenses	100.0%
Utilities	60.0%
UFSA Salaries and Wages	0.0%
UFSA Fringe Benefits	0.0%
UFSA Other Expenses	0.0%
Length of Service Awards	0.0%
Reserve for future outlay	0.0%
Radio Lease Purchase Principal	0.0%
Radio Lease Interest	0.0%
<b>Total Expense</b>	33.2%
<b>Net Income</b>	<b>100.0%</b>

Blaze in to check 1287 auto eject to be installed , now installed

Blaze in to check AC unit on 1274 new fan motors to be installed , now installed

Sign placed on back door.

Still waiting on fire and safety to service 1275 steps

Hose testing to start august 11<sup>th</sup>. Followed by pump testing on the 22<sup>nd</sup>.

Certifications on ladders have been received.



(877) 637-3473

# Quote

**Quote #** QT1716987  
**Date** 07/06/2023  
**Expires** 07/21/2023  
**Sales Rep** Graves, William  
**PO #** MP23-4  
**Shipping Method** FedEx Ground  
**Customer** Englishtown Fire Dept  
**Customer #** C233109

**Bill To**

Capt O'Brien  
 Englishtown Fire Dept  
 3 So Main St  
 Englishtown NJ 07726  
 United States

**Ship To**

Capt O'Brien  
 Englishtown Fire Dept  
 3 So Main St  
 Englishtown NJ 07726  
 United States

Item	Alt. Item #	Units	Description	QTY	Unit Price	Amount
HFRP Tail Coat	LTO62TG		LTO62TG HFRP Tail Coat NJENG100007 HFRP Tail Coat HONEYWELL MORNINGPRIDE STRUCTURAL GBX-Black COAT WITH ALL STANDARD FEATURES PER Englishtown Spec	4	\$2,600.00	\$10,400.00
HFRP Tail Pant	LTO 62TG		LTO 62TG HFRP Tail Pant NJENG100008 HONEYWELL MORNINGPRIDE STRUCTURAL Black PANT WITH ALL STANDARD FEATURES PER Englishtown Spec	4	\$1,790.00	\$7,160.00

Spec NJENG100005  
 Spec: NJENG100006  
 NJ State Contract : Morning Pride 17-Fleet-00818

**Subtotal** \$17,560.00  
**Shipping Cost** \$0.00  
**Tax Total** \$0.00  
**Total** \$17,560.00

This Quotation is subject to any applicable sales tax and shipping & handling charges that may apply. Tax and shipping charges are considered estimated and will be recalculated at the time of shipment to ensure they take into account the most current information.

All returns must be processed within 30 days of receipt and require a return authorization number and are subject to a restocking fee.

Custom orders are not returnable. Effective tax rate will be applicable at the time of invoice.



# ENGLISHTOWN FIRE DEPARTMENT



POST OFFICE BOX 1 – 3 SOUTH MAIN STREET – ENGLISHTOWN, NEW JERSEY 07726  
732-446-4818 • FAX 732-446-8285

**2023**

## **AUGUST CHIEF'S REPORT**

The Englishtown Fire Department had 35 calls for service for the month of July 2023, for a total of 69.12 Staff Hours. Of the 35 Calls, **this Station Failed to respond to 6 Calls, and responded short staffed to 9 calls. 20 calls responded as full staff. We answered 83% of our calls and failed to respond to 17% of our calls.**

For Englishtown, there were 5 calls for service for the month of July 2023. Of the 5 calls, **we responded full staff to 2 calls, and responded to 3 calls short staffed. We answered 100% of our calls.**

Respectfully Submitted,

Lou Sarti

Chief

Englishtown Fire Department



# Englishtown Fire Department

Englishtown, NJ

This report was generated on 8/3/2023 6:59:41 PM



## Incident Count with Man-Hours per Zone for Date Range

Incident Type(s): All Incident Types | Start Date: 07/01/2023 | End Date: 07/31/2023

ZONE	INCIDENT COUNT	MAN-HOURS
13-12-1 - Englishtown fire department	5	8:20
13-16-1 - Freehold Independent Fire Company	1	1:54
13-26-1 - Gordon's Corner Fire Company	4	9:28
13-26-2 - Manalapan Fire Company #1	16	28:12
13-26-2P - Manalapan Primary Response Area	7	16:27
13-32-1 - Millstone Fire Department	2	4:51
<b>TOTAL</b>	<b>35</b>	<b>69:12</b>

NOTE that this report takes into consideration ONLY those Personnel that are associated with an Apparatus, and that only Reviewed incidents are included in the counts.



# Englishtown Fire Department

Englishtown, NJ

This report was generated on 8/3/2023 7:00:26 PM



## Response Percentage for Custom Question for Personnel for Incident Type for Date Range

Custom Question(s): Staffing Level | Personnel: Administrator, Englishtown Fire Dept | Incident Type(s): All Incident Types | Start Date: 07/01/2023 | End Date: 07/31/2023

ANSWERS	# INCIDENTS	% of Total
<b>USER-DEFINED FIELD: Staffing Level (Required)</b>		
No Response - Fire Call - Short Staffed (< 3 FF1)	6	17%
Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)	9	26%
Responded as Normal	20	57%

Report is grouped by Questions, Users then Answers. Answers data is broken into Percentages of Users who answered Questions. Questions will only show on the report if they are in the Date Range and are Not Archived and Not Empty. Only Reviewed Incidents included.



# Englishtown Fire Department


Englishtown, NJ

This report was generated on 8/3/2023 7:00:52 PM



## Incident Type Count per Zone for Date Range

Start Date: 07/01/2023 | End Date: 07/31/2023



ZONES	INCIDENT TYPE	COUNT
<b>13-12-1 - Englishtown fire department</b>		
	324 - Motor vehicle accident with no injuries.	1
	735 - Alarm system sounded due to malfunction	4
	<i>Total Incidents for 13-12-1 - Englishtown fire department:</i>	5
<b>13-16-1 - Freehold Independent Fire Company</b>		
	651 - Smoke scare, odor of smoke	1
	<i>Total Incidents for 13-16-1 - Freehold Independent Fire Company:</i>	1
<b>13-26-1 - Gordon's Corner Fire Company</b>		
	440 - Electrical wiring/equipment problem, other	1
	611 - Dispatched & cancelled en route	2
	651 - Smoke scare, odor of smoke	1
	<i>Total Incidents for 13-26-1 - Gordon's Corner Fire Company:</i>	4
<b>13-26-2 - Manalapan Fire Company #1</b>		
	111 - Building fire	1
	113 - Cooking fire, confined to container	1
	138 - Off-road vehicle or heavy equipment fire	1
	322 - Motor vehicle accident with injuries	1
	444 - Power line down	1
	600 - Good intent call, other	1
	611 - Dispatched & cancelled en route	3
	733 - Smoke detector activation due to malfunction	2

Zone information is defined on the Basic Info 3 screen of an incident.  
Only REVIEWED incidents included.



ZONES	INCIDENT TYPE	COUNT
	734 - Heat detector activation due to malfunction	3
	741 - Sprinkler activation, no fire - unintentional	1
	745 - Alarm system activation, no fire - unintentional	1
	<i>Total Incidents for 13-26-2 - Manalapan Fire Company #1:</i>	16
<b>13-26-2P - Manalapan Primary Response Area</b>		
	111 - Building fire	2
	324 - Motor vehicle accident with no injuries.	1
	424 - Carbon monoxide incident	1
	444 - Power line down	1
	600 - Good intent call, other	1
	622 - No incident found on arrival at dispatch address	1
	<i>Total Incidents for 13-26-2P - Manalapan Primary Response Area:</i>	7
<b>13-32-1 - Millstone Fire Department</b>		
	151 - Outside rubbish, trash or waste fire	1
	444 - Power line down	1
	<i>Total Incidents for 13-32-1 - Millstone Fire Department:</i>	2
<b>Total Count for all Zone:</b>		<b>35</b>

Zone information is defined on the Basic Info 3 screen of an incident.  
Only REVIEWED incidents included.



# Englishtown Fire Department

Englishtown, NJ

This report was generated on 8/3/2023 7:02:46 PM



## Incident Custom Question Answer Summary by Incident Type for Zone for Date Range with Custom Questions

Custom Question(s): Staffing Level | Incident Status(s): All Incident Statuses | Zone(s): 13-12-1 - Englishtown fire department | Incident Type(s): All Incident Types | Start Date: 07/01/2023 | End Date: 07/31/2023

Incident Date	Incident #	Address	Zone	Custom Questions
07/26/2023	2023-215	14 WILSON AVE ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal
324 - Motor vehicle accident with no injuries.				
07/04/2023	2023-182	19 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)
735 - Alarm system sounded due to malfunction				
07/04/2023	2023-183	28 HARRISON AVE ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal
07/04/2023	2023-184	28 HARRISON AVE ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)
07/05/2023	2023-192	19 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)
Staffing Level				
Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)				3
Responded as Normal				2

Report is grouped by Incident Type and sorted by Incident Date, Incident Number. Summary of answered questions at the end of the report. Incidents will only show on report if custom questions have been answered.



emergencyreporting.com

Doc Id: 1692

Page # 1 of 1

# Englishtown Fire Department

Englishtown, NJ

This report was generated on 8/3/2023 7:03:29 PM



## Incident Custom Question Answer Summary by Incident Type for Zone for Date Range with Custom Questions

Custom Question(s): Staffing Level | Incident Statuses | Zone(s): All Incident Types | Incident Type(s): All Incident Types | Start Date: 07/01/2023 | End Date: 07/31/2023

Incident Date	Incident #	Address	Zone	Custom Questions
<b>111 - Building fire</b>				
07/10/2023	2023-195	21 HEDGEROW LN MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
07/20/2023	2023-207	59 HERON CT MANALAPAN, NJ 07726	Manalapan Primary Response Area	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)
07/22/2023	2023-209	42 DEER WAY Manalapan (Township of), NJ 07726	Manalapan Primary Response Area	Staffing Level: Responded as Normal
<b>113 - Cooking fire, confined to container</b>				
07/21/2023	2023-208	8 COLSON DR MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)
<b>138 - Off-road vehicle or heavy equipment fire</b>				
07/26/2023	2023-213	137 OAKLAND MILLS RD MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)
<b>151 - Outside rubbish, trash or waste fire</b>				
07/24/2023	2023-211	6 DAWSON CT MILLSTONE, NJ 08535	Millstone Fire Department	Staffing Level: Responded as Normal
<b>322 - Motor vehicle accident with injuries</b>				
07/14/2023	2023-201	State Route 33 E MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
<b>324 - Motor vehicle accident with no injuries.</b>				

Report is grouped by Incident Type and sorted by Incident Date, Incident Number. Summary of answered questions at the end of the report. Incidents will only show on report if custom questions have been answered.



07/25/2023	2023-212	MT VERNON RD MANALAPAN, NJ 07726	Manalapan Primary Response Area	Staffing Level: Responded as Normal
07/26/2023	2023-215	14 WILSON AVE ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal
424 - Carbon monoxide incident				
07/13/2023	2023-200	55 HERON CT MANALAPAN, NJ 07726	Manalapan Primary Response Area	Staffing Level: Responded as Normal
440 - Electrical wiring/equipment problem, other				
07/17/2023	2023-206	7 DAVID CT MILLSTONE, NJ 08535	Gordon's Corner Fire Company	Staffing Level: Responded as Normal
444 - Power line down				
07/07/2023	2023-193	106 SMITHBURG RD MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)
07/11/2023	2023-198	53 DAUM RD MANALAPAN, NJ 07726	Manalapan Primary Response Area	Staffing Level: Responded as Normal
07/15/2023	2023-204	INDIAN PATH RD MILLSTONE, NJ 07726	Millstone Fire Department	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)
600 - Good intent call, other				
07/04/2023	2023-186	155 MILLHURST RD MANALAPAN, NJ 07726	Manalapan Primary Response Area	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)
07/24/2023	2023-210	349 ST ANDREWS PL MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
611 - Dispatched & cancelled en route				
07/04/2023	2023-181	8 PINK STAR CT MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)
07/04/2023	2023-185	12 NOTTING HILL CT MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)

Report is grouped by Incident Type and sorted by Incident Date, Incident Number. Summary of answered questions at the end of the report. Incidents will only show on report if custom questions have been answered.



07/05/2023	2023-188	State Route 33 E MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
07/07/2023	2023-194	104 PENSION RD MANALAPAN, NJ 07726	Gordon's Corner Fire Company	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)
07/15/2023	2023-203	38 ELIOT RD Manalapan (Township of), NJ 07726	Gordon's Corner Fire Company	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)
622 - No incident found on arrival at dispatch address				
07/04/2023	2023-187	DORTMUNDER DR MANALAPAN, NJ 07726	Manalapan Primary Response Area	Staffing Level: Responded as Normal
651 - Smoke scare, odor of smoke				
07/10/2023	2023-197	6 CLARIDGE CT 6 FREEHOLD TWP, NJ 07728	Freehold Independent Fire Company	Staffing Level: Responded as Normal
07/14/2023	2023-202	63 BONNIE DR MANALAPAN, NJ 07726	Gordon's Corner Fire Company	Staffing Level: Responded as Normal
733 - Smoke detector activation due to malfunction				
07/10/2023	2023-196	58 RIVA RIDGE RD MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
07/13/2023	2023-199	12 RED FOX RUN MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
734 - Heat detector activation due to malfunction				
07/05/2023	2023-189	313 ST ANDREWS PL MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
07/05/2023	2023-190	373 ST ANDREWS PL MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal
07/17/2023	2023-205	373 ST ANDREWS PL MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)
735 - Alarm system sounded due to malfunction				

Report is grouped by Incident Type and sorted by Incident Date, Incident Number. Summary of answered questions at the end of the report. Incidents will only show on report if custom questions have been answered.



07/04/2023	2023-182	19 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or response)	er Only
07/04/2023	2023-183	28 HARRISON AVE ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded as Normal	
07/04/2023	2023-184	28 HARRISON AVE ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)	
07/05/2023	2023-192	19 MAIN ST ENGLISHTOWN, NJ 07726	Englishtown fire department	Staffing Level: Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)	
		741 - Sprinkler activation, no fire - unintentional			
07/05/2023	2023-191	25 CHATSWORTH RD A MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: Responded as Normal	
		745 - Alarm system activation, no fire - unintentional			
07/26/2023	2023-214	373 ST ANDREWS PL 25 MANALAPAN, NJ 07726	Manalapan Fire Company #1	Staffing Level: No Response - Fire Call - Short Staffed (< 3 FF1)	
Staffing Level					
		No Response - Fire Call - Short Staffed (< 3 FF1)			
		Responded - Short Staffed (< 3 FF1 on Engine, or Officer Only response)			
		Responded as Normal			
		6			
		9			
		20			

Report is grouped by Incident Type and sorted by Incident Date, Incident Number. Summary of answered questions at the end of the report. Incidents will only show on report if custom questions have been answered.

