

January 10<sup>th</sup>, 2017

**The Board of Fire Commissioners Fire District # 1 Borough of Englishtown, State of New Jersey, convened on Wednesday January 10<sup>th</sup>, 2017 in the Formal Meeting Room of the Englishtown Fire Department, 3 South Main St. Englishtown, New Jersey. (The Original meeting was scheduled for Thursday January 4<sup>th</sup>, but was rescheduled due to severe weather.)**

The meeting was called to order by Chairman P. Cooke at 6:15 P.M.

**1. Sunshine Statement by Chairman Peter Cooke**

**Statement is hereby given that adequate notice of this meeting was given by:**

1. The mailing of said notice to the Asbury Park Press.
2. The prominent posting of said notice at the Englishtown Fire Department.

**Roll Call showed the following members in attendance:**

Present: Chairman Peter Cooke, Clerk Victoria Sarti, Treasurer Ryan Reale and Gerald Maresca

Brian Stonaker was absent

**Legal:** No Attorney present.

A Resolution by Title was offered to donate the 1972 Dodge Power Wagon 300 Brush Truck to the New Jersey Fireman's Museum. A motion was made by G. Maresca and a second was made by R. Reale. Motion passed unanimously.

A Resolution to adopt the Proposed Budget for 2018 was offered. Approved unanimously.

**December 2017 Minutes:** A motion was made by R. Reale and a Second was made by G. Maresca to accept the minutes. Motion passed by unanimous vote.

**Financial:** Check #6051 for \$409.30 for the Fire department to reimburse them for the interior door panel and an open Staples account balance was explained. \$240.00 for an EMT Refresher Class that was attended by Andrew Hagenberg was added to the bill list. A motion was made by G. Maresca and a Second was made by R. Reale to accept the revised bill list and Report, Motion passed by unanimous vote.

**Auditor/Accountant:**

- The proposed budget for 2018 has been approved by the State.

**Chief's Report:**

- Total of 42 calls for the month of December 2017 with 113.01 Staff Hours.
- Total of 415 calls for the year 2017 with 1802.28 Staff Hours.
- See Attached Report for additional details.
- The \$4000.00 Bail Out Training was paid by the Fire Department through the Recruitment and Retention Grant
- All new radios have been received.
- Working on quotes to install the mobile units.
- Confirming that the radios are covered by our insurance.
- Engine 75 will be having the approved scene lighting installed on 01/27. Waiting for a new auto charger on Utility 87 and lighting for Engine 74.
- Requesting \$299.00 for Motorola programming software for the radios. **Approved.**
- Requested copies of the NFPA physicals for the newest members. If unable to locate, we will request copies from the Medical Facility.
- Requesting \$447.00 for Portable Radio cases. **Approved.**
- Requesting no more than \$500.00 for an Ice Rescue Certification Class on 01/19 & 01/20. Three members have requested to attend. **Approved.**
- The Chief's Tahoe is at the body shop after a deer struck it on 12/25/2017. A police report was issued, and the Insurance company was notified. No one was injured and there was no external property damage.

**Department Engineer's Report:**

- See attached Report

**President's Report:**

- The Fire Department has voted to donate the 1972 Dodge Power Wagon 300 Brush Truck to the New Jersey Fire Museum and would like the Board of fire Commissioners to adopt a resolution approving the donation. A Resolution by title was passed.

**Fire Bureau:**

- See Attached Report.

**LOSAP:**

- No Report

**Correspondence:**

- 26-2 Installation Dinner Invites

**Insurance:**

- Robert Soden Jr. stated that First Responder JIF is up for renewal. There was a \$1,000.00 increase which is very good. ID cards will be issued in approximately 2 weeks. He will contact Chief Sarti.

**Membership:**

- No Report

**Old Business:**

- Chairman Cooke will be receiving quotes on the stripping of the parking lot after the winter months.
- Chairman Cooke will be contacting Manalapan Township for the repairs needed in the parking lot after the winter months.
- Bay Doors contract has been located.
- R. Reale has contacted Staples about purchasing new Conference table chairs. He is researching a business account that would utilize State Contract pricing. There may be a \$79.00 fee.

**New Business:**

- None

**Public Open Portion:**

A motion was made by G. Maresca and a second was made by R. Reale to open the Public Hearing for the Proposed Budget. Approved unanimously.

No members of the public had any comments on the proposed budget. A motion to close the Public Hearing for the Proposed Budget was made by R. Reale and a second was made by G. Maresca. Approved unanimously.

**Meeting Adjournment:** at 6:58 PM. After a motion by G. Maresca and seconded by R. Reale and approved unanimously by a roll call vote.

**Certified** at the February 1<sup>st</sup>, 2018 regularly scheduled meeting\_\_\_\_\_

Victoria Sarti, Board Clerk

5:15 PM

01/10/18

Accrual Basis

# Englishtown Fire District No. 1

## Bill List

As of January 10, 2018

Type	Date	Num	Name	Split	Debit	Credit	Balance
<b>Brunswick Bank Checking</b>							76,259.12
Deposit	12/13/2017			-SPLIT-	90.00		76,349.12
Deposit	12/26/2017			-SPLIT-	151,418.83		227,767.95
Check	1/10/2018	6028	Ed Miller	UFSA Other Expe...		145.00	227,622.95
Check	1/10/2018	6029	Monmouth County Fire Pr...	UFSA Other Expe...		30.00	227,592.95
Check	1/10/2018	6030	Brunswick Bank & Trust	-SPLIT-		58,743.01	168,849.94
Check	1/10/2018	6031	Verizon Wireless	Utilities		367.26	168,482.68
Check	1/10/2018	6032	Cytracom LLC.	Utilities		288.82	168,193.86
Check	1/10/2018	6033	Verizon	Utilities		55.59	168,138.27
Check	1/10/2018	6034	Asbury Park Press	Advertising		153.80	167,984.47
Check	1/10/2018	6035	stockel lawn	2017 Expense		383.50	167,600.97
Check	1/10/2018	6036	Manalapan - Englishtown ...	2017 Expense		517.34	167,083.63
Check	1/10/2018	6037	First Responder Joint Insur...	Insurance Premiu...		24,263.00	142,820.63
Check	1/10/2018	6038	Overhead door co	2017 Expense		566.19	142,254.44
Check	1/10/2018	6039	Gerald Maresca	2017 Expense		48.47	142,205.97
Check	1/10/2018	6040	NJ Natural Gas	Utilities		539.02	141,666.95
Check	1/10/2018	6041	Jersey Central Power & Li...	Utilities		1,437.42	140,229.53
Check	1/10/2018	6042	Joseph D. Youssouf	2017 Expense		9,552.00	130,677.53
Check	1/10/2018	6043	US Postal Service	Office Supplies		134.00	130,543.53
Check	1/10/2018	6044	NetLink	-SPLIT-		597.00	129,946.53
Check	1/10/2018	6045	Asbury Park Press	Advertising		60.30	129,886.23
Check	1/10/2018	6046	Englishtown Fire Department	Contract - Volunte...		2,250.00	127,636.23
Check	1/10/2018	6047	Optimum	Utilities		125.94	127,510.29
Check	1/10/2018	6051	Englishtown Fire Department	2017 Expense		409.30	127,100.99
Total Brunswick Bank Checking					151,508.83	100,666.96	127,100.99
<b>TOTAL</b>					<b>151,508.83</b>	<b>100,666.96</b>	<b>127,100.99</b>

1266  
Dep  
Paid  
+  
Staples  
Bill


# 2018 ADOPTION CERTIFICATION

## ENGLISHTOWN BOROUGH FIRE DISTRICT NO. 1

### FIRE DISTRICT BUDGET

FISCAL YEAR: January 1, 2018 to December 31, 2018

It is hereby certified that the Fire District Budget annexed hereto is a true copy of the Budget adopted by the Board of Commissioners of the Fire District, pursuant to N.J.A.C. 5:31-2.4, on the 10th day of January 4, 2018.

Officer's Signature:			
Name:	VICTORIA SARTI		
Title:	SECRETARY		
Address:	PO BOX 1, ENGLISHTOWN, NJ 07726		
Phone Number:	732 446-4818	Fax Number:	732 446-8285
E-mail address:	Commissioners@EnglishtownBoFC.com		

# 2018 ADOPTED BUDGET RESOLUTION

## ENGLISHTOWN BOROUGH FIRE DISTRICT NO. 1

**FISCAL YEAR: January 1, 2018 to December 31, 2018**

WHEREAS, the Annual Budget for the Englishtown Borough Fire District No. 1 (the "Fire District") for the fiscal year beginning January 1, 2018 and ending December 31, 2018, has been presented for adoption before the Board of Commissioners of the Fire District at its open public meeting of January 10, 2018; and

WHEREAS, the Annual Budget as presented for adoption reflects each item of revenue and appropriation in the same amount and title as set forth in the introduced and approved budget, including all amendments thereto, if any, which have been approved by the Director of the Division of Local Government Services; and

WHEREAS, the adopted budget is in compliance with the Property Tax Levy Cap Law (N.J.S.A. 40A:4-45.44 et. seq.); and

WHEREAS, the Annual Budget as presented for adoption reflects Total Revenues of \$ 579,000, which includes amount to be raised by taxation of \$484,000, and Total Appropriations of \$579,000; and

WHEREAS, an election shall be held annually on the third Saturday of February in each established fire district to determine the amount to be raised by taxation for the ensuing year;

NOW, THEREFORE BE IT RESOLVED, by the Board of Commissioners of the Fire District at an open public meeting held on January 10, 2018 that the Annual Budget of the Fire District for the fiscal year beginning January 1, 2018 and ending December 31, 2018, is hereby adopted and, shall constitute appropriations for the purposes stated and authorization of Total Revenues of \$579,000, which includes amount to be raised by taxation of \$484,000, and Total Appropriations of \$579,000; and

BE IT FURTHER RESOLVED, that the Annual Budget as presented for adoption reflects each item of revenue and appropriation in the same amount and title as set forth in the introduced and approved budget, including all amendments thereto, if any, which have been approved by the Director of the Division of Local Government Services; and

BE IT FURTHER RESOLVED, that an annual election shall be held on the third Saturday of February to determine the amount to be raised by taxation for the ensuing year. The results of which shall be subsequently certified to the Division and the Municipal Assessor.

\_\_\_\_\_  
(Secretary's Signature)

January 10, 2018  
(Date)

### Board of Commissioners Recorded Vote

Member	Aye	Nay	Abstain	Absent
COOKE	✓			
MARESCA	✓			
REALE	✓			
SARTI	✓			
STONAKER				✓

# Chief Engineers Report Dec 2017

## WORK done on Trucks

12-66 involve in accident with deer 12/26/17  
M3 Collision at Morganville are Repairing Vehicle

12-74 Repair short in Headlight & Left turn signal  
Install snow chains  
Repair air eject for short line

12-75 Mounted Bracket Board in drivers compartment  
Repair Right front compartment door  
pumps were drain on 12-74-75-76+93

12-87 Repair LED Backup light

## Equipment

Repair short Bay (3) shore line Female end  
1972 Dodge Power Wagon Brush Truck Donate to the Fireman  
Museum in Allentown

## Miss

DRAIN water out in house AIR COMPRESSOR

## Scott Packs

Replace 3 C-Batteries Pack 18  
Filled 2 Scott Bottles

## Mile for the Month

12-74 - 290

12-75 - 225

12-76 - 0

12-86 - 0

12-87 - 584

12-93 - 1

Total miles 1100

End of Report



# Englishtown Fire Department

Englishtown, NJ

This report was generated on 1/10/2018 2:47:00 PM



## Incident Count with Man-Hours per Zone for Date Range

Start Date: 12/01/2017 | End Date: 12/31/2017

ZONE	INCIDENT COUNT	MAN-HOURS
12-42 - Jamesburg Fire Department	1	3:42
13-12-1 - Englishtown fire department	9	14:33
13-26-1 - Gordon's Corner Fire Company	3	17:13
13-26-2 - Manalapan Fire Company #1	15	32:30
13-26-2P - Manalapan Primary Response Area	12	36:31
13-32-1 - Millstone Fire Department	1	2:09
Monroe - Monroe Twp	1	6:23
<b>TOTAL</b>	<b>42</b>	<b>113:01</b>

NOTE that this report takes into consideration ONLY those Personnel that are associated with an Apparatus, and that only Reviewed incidents are included in the counts.

# Englishtown Fire Department


Englishtown, NJ

This report was generated on 1/10/2018 2:48:23 PM



## Incident Type Count per Zone for Date Range

Start Date: 12/01/2017 | End Date: 12/31/2017



ZONES	INCIDENT TYPE	COUNT
<b>12-42 - Jamesburg Fire Department</b>		
	571 - Cover assignment, standby, moveup	1
	<i>Total Incidents for 12-42 - Jamesburg Fire Department:</i>	
		1
<b>13-12-1 - Englishtown fire department</b>		
	424 - Carbon monoxide incident	1
	444 - Power line down	1
	611 - Dispatched & cancelled en route	1
	714 - Central station, malicious false alarm	2
	733 - Smoke detector activation due to malfunction	2
	736 - CO detector activation due to malfunction	1
	745 - Alarm system activation, no fire - unintentional	1
	<i>Total Incidents for 13-12-1 - Englishtown fire department:</i>	
		9
<b>13-26-1 - Gordon's Corner Fire Company</b>		
	651 - Smoke scare, odor of smoke	1
	743 - Smoke detector activation, no fire - unintentional	1
	745 - Alarm system activation, no fire - unintentional	1
	<i>Total Incidents for 13-26-1 - Gordon's Corner Fire Company:</i>	
		3
<b>13-26-2 - Manalapan Fire Company #1</b>		
	130 - Mobile property (vehicle) fire, other	1
	322 - Motor vehicle accident with injuries	1
	412 - Gas leak (natural gas or LPG)	2

Zone information is defined on the Basic Info 3 screen of an incident.  
Only REVIEWED incidents included.

ZONES	INCIDENT TYPE	COUNT
	445 - Arcing, shorted electrical equipment	2
	520 - Water problem, other	1
	611 - Dispatched & cancelled en route	2
	651 - Smoke scare, odor of smoke	2
	733 - Smoke detector activation due to malfunction	1
	743 - Smoke detector activation, no fire - unintentional	2
	746 - Carbon monoxide detector activation, no CO	1
	<i>Total Incidents for 13-26-2 - Manalapan Fire Company #1:</i>	15
<b>13-26-2P - Manalapan Primary Response Area</b>		
	160 - Special outside fire, other	2
	322 - Motor vehicle accident with injuries	1
	324 - Motor vehicle accident with no injuries.	1
	410 - Combustible/flammable gas/liquid condition, other	1
	412 - Gas leak (natural gas or LPG)	1
	444 - Power line down	1
	622 - No incident found on arrival at dispatch address	1
	733 - Smoke detector activation due to malfunction	1
	735 - Alarm system sounded due to malfunction	2
	743 - Smoke detector activation, no fire - unintentional	1
	<i>Total Incidents for 13-26-2P - Manalapan Primary Response Area.</i>	12
<b>13-32-1 - Millstone Fire Department</b>		
	746 - Carbon monoxide detector activation, no CO	1
	<i>Total Incidents for 13-32-1 - Millstone Fire Department.</i>	1
<b>Monroe - Monroe Twp</b>		
	111 - Building fire	1
	<i>Total Incidents for Monroe - Monroe Twp.</i>	1
<b>Total Count for all Zone:</b>		<b>42</b>

Zone information is defined on the Basic Info 3 screen of an incident.  
Only REVIEWED incidents included.

# Englishtown Fire Department

Englishtown, NJ

This report was generated on 1/10/2018 2:47:12 PM



## Incident Count with Man-Hours per Zone for Date Range

Start Date: 01/01/2017 | End Date: 12/31/2017

ZONE	INCIDENT COUNT	MAN-HOURS
12-42 - Jamesburg Fire Department	2	40:59
13040 - Colts Neck Fire Department	2	95:54
13-12-1 - Englishtown fire department	96	297:15
13-15-1 - Freehold Fire Department	2	0:59
13-16-1 - Freehold Independent Fire Company	2	12:09
13-16-2 - East Freehold Fire Company	1	3:17
13-26-1 - Gordon's Corner Fire Company	54	171:25
13-26-2 - Manalapan Fire Company #1	138	579:33
13-26-2P - Manalapan Primary Response Area	85	370:13
13-28-1 - Marlboro Fire Company #1	1	12:47
13-32-1 - Millstone Fire Department	29	107:54
Monroe - Monroe Twp	1	6:23
PAFD - Perth Amboy Fire Department	1	83:13
SOB - South Old Bridge	1	20:26
<b>TOTAL</b>	<b>415</b>	<b>1802:28</b>

NOTE that this report takes into consideration ONLY those Personnel that are associated with an Apparatus, and that only Reviewed incidents are included in the counts.

# Englishtown Fire Department


Englishtown, NJ

This report was generated on 1/10/2018 2:48:50 PM



## Incident Type Count per Zone for Date Range

Start Date: 01/01/2017 | End Date: 12/31/2017



ZONES	INCIDENT TYPE	COUNT
<b>12-42 - Jamesburg Fire Department</b>		
	571 - Cover assignment, standby, moveup	2
	<i>Total Incidents for 12-42 - Jamesburg Fire Department:</i>	
		2
<b>13040 - Colts Neck Fire Department</b>		
	111 - Building fire	1
	571 - Cover assignment, standby, moveup	1
	<i>Total Incidents for 13040 - Colts Neck Fire Department:</i>	
		2
<b>13-12-1 - Englishtown fire department</b>		
	111 - Building fire	1
	112 - Fires in structure other than in a building	1
	113 - Cooking fire, confined to container	5
	114 - Chimney or flue fire, confined to chimney or flue	1
	142M - Mulch fire	1
	151 - Outside rubbish, trash or waste fire	2
	154 - Dumpster or other outside trash receptacle fire	1
	311 - Medical assist, assist EMS crew	26
	321 - EMS call, excluding vehicle accident with injury	1
	322 - Motor vehicle accident with injuries	2
	411 - Gasoline or other flammable liquid spill	2
	424 - Carbon monoxide incident	1
	440 - Electrical wiring/equipment problem, other	1

Zone information is defined on the Basic Info 3 screen of an incident.  
Only REVIEWED incidents included.

ZONES	INCIDENT TYPE	COUNT
	442 - Overheated motor	1
	444 - Power line down	4
	445 - Arcing, shorted electrical equipment	1
	500 - Service Call, other	1
	531 - Smoke or odor removal	2
	553 - Public service	1
	600 - Good intent call, other	2
	611 - Dispatched & cancelled en route	1
	621 - Wrong location	1
	653 - Smoke from barbecue, tar kettle	1
	700 - False alarm or false call, other	6
	710 - Malicious, mischievous false call, other	3
	711 - Municipal alarm system, malicious false alarm	2
	714 - Central station, malicious false alarm	3
	730 - System malfunction, other	2
	731 - Sprinkler activation due to malfunction	3
	733 - Smoke detector activation due to malfunction	3
	735 - Alarm system sounded due to malfunction	1
	736 - CO detector activation due to malfunction	2
	743 - Smoke detector activation, no fire - unintentional	4
	744 - Detector activation, no fire - unintentional	1
	745 - Alarm system activation, no fire - unintentional	6
	<i>Total Incidents for 13-12-1 - Englishtown fire department:</i>	96
<b>13-15-1 - Freehold Fire Department</b>		
	611 - Dispatched & cancelled en route	2
	<i>Total Incidents for 13-15-1 - Freehold Fire Department :</i>	2
<b>13-16-1 - Freehold Independent Fire Company</b>		
	113 - Cooking fire, confined to container	1
	611 - Dispatched & cancelled en route	1
	<i>Total Incidents for 13-16-1 - Freehold Independent Fire Company:</i>	2
<b>13-16-2 - East Freehold Fire Company</b>		
	353 - Removal of victim(s) from stalled elevator	1
	<i>Total Incidents for 13-16-2 - East Freehold Fire Company:</i>	1
<b>13-26-1 - Gordon's Corner Fire Company</b>		
	100 - Fire, other	1
	111 - Building fire	2
	113 - Cooking fire, confined to container	1

Zone information is defined on the Basic Info 3 screen of an incident.  
Only REVIEWED incidents included.

ZONES	INCIDENT TYPE	COUNT
	131 - Passenger vehicle fire	1
	141 - Forest, woods or wildland fire	1
	311 - Medical assist, assist EMS crew	3
	352 - Extrication of victim(s) from vehicle	1
	571 - Cover assignment, standby, moveup	1
	611 - Dispatched & cancelled en route	2
	651 - Smoke scare, odor of smoke	1
	700 - False alarm or false call, other	7
	711 - Municipal alarm system, malicious false alarm	1
	714 - Central station, malicious false alarm	3
	730 - System malfunction, other	2
	733 - Smoke detector activation due to malfunction	1
	735 - Alarm system sounded due to malfunction	8
	743 - Smoke detector activation, no fire - unintentional	4
	744 - Detector activation, no fire - unintentional	2
	745 - Alarm system activation, no fire - unintentional	12
	<i>Total Incidents for 13-26-1 - Gordon's Corner Fire Company:</i>	<i>54</i>
<b>13-26-2 - Manalapan Fire Company #1</b>		
	100 - Fire, other	4
	111 - Building fire	3
	112 - Fires in structure other than in a building	1
	113 - Cooking fire, confined to container	9
	116 - Fuel burner/boiler malfunction, fire confined	1
	130 - Mobile property (vehicle) fire, other	1
	140 - Natural vegetation fire, other	2
	142M - Mulch fire	1
	154 - Dumpster or other outside trash receptacle fire	1
	311 - Medical assist, assist EMS crew	1
	322 - Motor vehicle accident with injuries	6
	324 - Motor vehicle accident with no injuries.	2
	412 - Gas leak (natural gas or LPG)	4
	413 - Oil or other combustible liquid spill	1
	440 - Electrical wiring/equipment problem, other	5
	441 - Heat from short circuit (wiring), defective/worn	1
	444 - Power line down	4
	445 - Arcing, shorted electrical equipment	6
	462 - Aircraft standby	1

Zone information is defined on the Basic Info 3 screen of an incident.  
Only REVIEWED incidents included.

ZONES	INCIDENT TYPE	COUNT
	463 - Vehicle accident, general cleanup	4
	520 - Water problem, other	1
	522 - Water or steam leak	2
	531 - Smoke or odor removal	4
	571 - Cover assignment, standby, moveup	1
	600 - Good intent call, other	2
	611 - Dispatched & cancelled en route	8
	651 - Smoke scare, odor of smoke	6
	671 - HazMat release investigation w/no HazMat	1
	700 - False alarm or false call, other	25
	710 - Malicious, mischievous false call, other	1
	711 - Municipal alarm system, malicious false alarm	1
	730 - System malfunction, other	1
	731 - Sprinkler activation due to malfunction	1
	732 - Extinguishing system activation due to malfunction	1
	733 - Smoke detector activation due to malfunction	6
	735 - Alarm system sounded due to malfunction	3
	736 - CO detector activation due to malfunction	1
	740 - Unintentional transmission of alarm, other	2
	743 - Smoke detector activation, no fire - unintentional	4
	745 - Alarm system activation, no fire - unintentional	7
	746 - Carbon monoxide detector activation, no CO	2
	<i>Total Incidents for 13-26-2 - Manalapan Fire Company #1:</i>	138
<b>13-26-2P - Manalapan Primary Response Area</b>		
	100 - Fire, other	1
	111 - Building fire	1
	113 - Cooking fire, confined to container	2
	114 - Chimney or flue fire, confined to chimney or flue	1
	118 - Trash or rubbish fire, contained	1
	131 - Passenger vehicle fire	2
	142M - Mulch fire	1
	150 - Outside rubbish fire, other	1
	151 - Outside rubbish, trash or waste fire	1
	160 - Special outside fire, other	2
	311 - Medical assist, assist EMS crew	2
	322 - Motor vehicle accident with injuries	4
	324 - Motor vehicle accident with no injuries.	5

Zone information is defined on the Basic Info 3 screen of an incident.  
Only REVIEWED incidents included.



ZONES	INCIDENT TYPE	COUNT
	350 - Extrication, rescue, other	1
	400 - Hazardous condition, other	1
	410 - Combustible/flammable gas/liquid condition, other	1
	411 - Gasoline or other flammable liquid spill	2
	412 - Gas leak (natural gas or LPG)	4
	422 - Chemical spill or leak	1
	424 - Carbon monoxide incident	3
	440 - Electrical wiring/equipment problem, other	3
	444 - Power line down	7
	445 - Arcing, shorted electrical equipment	2
	461 - Building or structure weakened or collapsed	1
	520 - Water problem, other	3
	531 - Smoke or odor removal	1
	600 - Good intent call, other	2
	611 - Dispatched & cancelled en route	1
	622 - No incident found on arrival at dispatch address	1
	651 - Smoke scare, odor of smoke	1
	671 - HazMat release investigation w/no HazMat	1
	700 - False alarm or false call, other	7
	721 - Bomb scare - no bomb	1
	733 - Smoke detector activation due to malfunction	1
	735 - Alarm system sounded due to malfunction	4
	736 - CO detector activation due to malfunction	2
	743 - Smoke detector activation, no fire - unintentional	3
	744 - Detector activation, no fire - unintentional	2
	745 - Alarm system activation, no fire - unintentional	2
	746 - Carbon monoxide detector activation, no CO	3
	<i>Total Incidents for 13-26-2P - Manalapan Primary Response Area.</i>	85
<b>13-28-1 - Marlboro Fire Company #1</b>		
	111 - Building fire	1
	<i>Total Incidents for 13-28-1 - Marlboro Fire Company #1:</i>	1
<b>13-32-1 - Millstone Fire Department</b>		
	100 - Fire, other	1
	113 - Cooking fire, confined to container	2
	324 - Motor vehicle accident with no injuries.	1
	400 - Hazardous condition, other	1
	412 - Gas leak (natural gas or LPG)	2

Zone information is defined on the Basic Info 3 screen of an incident.  
Only REVIEWED incidents included.

ZONES	INCIDENT TYPE	COUNT
	440 - Electrical wiring/equipment problem, other	1
	444 - Power line down	2
	445 - Arcing, shorted electrical equipment	1
	571 - Cover assignment, standby, moveup	3
	611 - Dispatched & cancelled en route	2
	653 - Smoke from barbecue, tar kettle	1
	700 - False alarm or false call, other	2
	735 - Alarm system sounded due to malfunction	3
	736 - CO detector activation due to malfunction	1
	744 - Detector activation, no fire - unintentional	1
	745 - Alarm system activation, no fire - unintentional	3
	746 - Carbon monoxide detector activation, no CO	1
	900 - Special type of incident, other	1
	<i>Total Incidents for 13-32-1 - Millstone Fire Department:</i>	29
<b>Monroe - Monroe Twp</b>		
	111 - Building fire	1
	<i>Total Incidents for Monroe - Monroe Twp:</i>	1
<b>PAFD - Perth Amboy Fire Department</b>		
	571 - Cover assignment, standby, moveup	1
	<i>Total Incidents for PAFD - Perth Amboy Fire Department:</i>	1
<b>SOB - South Old Bridge</b>		
	571 - Cover assignment, standby, moveup	1
	<i>Total Incidents for SOB - South Old Bridge:</i>	1
<b>Total Count for all Zone:</b>		<b>415</b>

Zone information is defined on the Basic Info 3 screen of an incident.  
Only REVIEWED incidents included.